

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	COMET Powder Cleanser
MANUFACTURER:	Prestige Brands Inc. 90 North Broadway Irvington, NY 10533
EMERGENCY PHONE:	800-926-9441
CHEMICAL NAME:	Mixture
PRODUCT USE:	Household, Industrial and commercial powder cleanser

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:	A free flowing green powder with fragrance. May irritate the skin and eyes. Dusts may irritate respiratory tract.
----------------------------	---

POTENTIAL HEALTH EFFECTS

EYES:	May irritate the eyes.
SKIN:	May irritate the skin.
INGESTIONS:	May cause irritation and stomach distress.
INHALTION:	May cause irritation to the respiratory tract.
CHRONIC HAZARDS:	Crystalline silica impurity when inhaled above safe exposure limits can cause respiratory system injury and potentially cancer.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	Dermatitis

CARCINOGENICITY

Ingredient Name	OSHA	ACGIH	NTP	IARC
Crystalline Silica	---	Suspect human carcinogen	Known carcinogen	Human carcinogen

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NO.	%WT
Limestone	1317-65-3	80 – 90
Crystalline Silica, quartz (impurity)	14808-60-7	0.1 – 2
Sodium Carbonate	497-19-8	5 – 15
SodiumDodecylbenzene Sulfonate	25155-30-0	0.1 – 2
Dichloroisocyanuric Acid	87-90-1	0.1 – 2
Sodium Acetate	127-09-3	0.1 - 2
Calcium Hydroxide	1305-62-0	0.1 - 2
Sodium Alkyl Sulfate	151-21-3	0.1 - 2

SECTION 4: FIRST AID MEASURES

EYES:	Wash with plenty of water for at least 15 minutes. If wearing contact lenses, remove first. If irritation persists, get medical attention.
SKIN:	Wash with plenty of water. If irritation persists, get medical attention.
INGESTION:	If conscious, drink several glasses of water. Do not induce vomiting. Consult a physician or poison control center.
INHALTION:	Remove victim to fresh air. Get medical attention if excessive inhalation occurs.

SECTION 5: FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

FLASH POINT:	Not flammable
FLASH POINT METHOD:	Not applicable
AUTOIGNITION TEMPERATURE:	Not flammable
EXTINGUISHING MEDIA:	Use any standard agent appropriate for the surrounding fire.
SPECIAL FIRE FIGHTING PROCEDURES:	Wear self contained breathing apparatus.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None
HAZARDOUS DECOMPOSITION PRODUCTS:	Traces of sulfur oxides, carbon monoxide and carbon dioxide are potential thermal decomposition materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:	Sweep and place into container for reuse or disposal.
-------------------------------------	---

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:	Avoid Contact with eyes. Avoid breathing dust. Store in cool, dry ventilated area.
OTHER PRECAUTIONS:	None indicated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Use local exhaust if dusty or misty conditions prevails.
VENTILATION :	Use local exhaust
RESPIRATORY PROTECTION:	A NIOSH approved dust or mistrespirator should be worn in areas where product dusts or mists are present.
EYE PROTECTION:	Wear safety glasses or goggles, if needed for dusty conditions.
SKIN PROTECTION:	For sensitive skin or prolonged use, wear work gloves.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	A source of running water in the work area is advisable for first aid purposes.

EXPOSURE GUIDELINES:

Ingredient Name	OSHA	ACGIH
Limestone	15 mg/m ³ Total Dust (TWA) 5 mg/m ³ Respirable Dust (TWA)	None established
Crystalline Silica, quartz (impurity)	(10 mg/m ³)/(%SiO ₂ + 2) Respirable dust (TWA) 30 mg/m ³ /(%SiO ₂ + 2) Total dust (TWA)	0.05 mg/m ³ Respirable dust (TWA)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Green Powder
ODOR:	Odor
PHYSICAL STATE:	Powder
pH (10% aq.):	9..50 – 12.00
BOILING POINT	Not determined
MELTING POINT:	Not determined
FREEZING POINT:	Not determined
VAPOR PRESSURE (mmHg):	Negligible
VAPOR DENSITY (AIR = 1):	Not determined
SPECIFIC GRAVITY (H₂O = 1)	1.30
EVAPORATION RATE:	Not determined
VOLATILE ORGANIC COMPOUNDS	0.0 – 0.5%